



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/561,445	11/21/2006	Masahiro Inoue	283692US90PCT	8214
22850	7590	05/25/2011	EXAMINER	
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, L.L.P. 1940 DUKE STREET ALEXANDRIA, VA 22314			IQBAL, KHAWAR	
			ART UNIT	PAPER NUMBER
			2617	
			NOTIFICATION DATE	DELIVERY MODE
			05/25/2011	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

Office Action Summary	Application No.	Applicant(s)	
	10/561,445	INOUE ET AL.	
	Examiner	Art Unit	
	KHAWAR IQBAL	2617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 July 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>07/23/2010</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Prosecution Application

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3-12-10 has been entered.

Response to Arguments

1. Applicant's arguments with respect to claims 1-9 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Funato et al (20060025161) in view of Claude Castelluccia (An Adaptive Per-Host IP Paging Architecture).

Regarding claim 1 Funato teaches a controller apparatus configured to implement paging control in which, when the controller apparatus receives a packet addressed to a mobile terminal (MH 902, fig. 9), the controller apparatus transmits a paging notification packet to a paging area of the mobile terminal, so as to obtain location information on the mobile terminal (MH 902, fig. 9) and to determine a forwarding destination of the packet, the controller apparatus comprising (abstract):

a paging area forming unit (920, fig. 9) having a plurality of algorithm (The communication network 100 is configured to provide paging for mobile hosts MHs in the network and for example paging areas reconfigure themselves according to changes in movement traffic of MHs, dynamic configuration of paging areas and automatically/dynamic configured) for forming the paging area, para. 0075-0076);

wherein the paging area forming unit (920, fig. 9) is configured to form the paging area of the mobile terminal (MH 902, fig. 9) by an algorithm (see detail in fig. 11-12) of the plurality of algorithm which is associated and application started by the mobile station and is specified by the mobile terminal (fig. 20, elements 908 {2004 and 2006} applications started by the mobile host to an access point, Identifier of current paging area of access point (106,108,110-116) of telecommunication network (100) is received at a mobile host (MH) (120,122), subsequently, and the location information from the mobile host is transmitted to the access point. On detection of a location change of the

Art Unit: 2617

MH, the old location information is transmitted to a new access point of the telecommunication system, para. # 0050-0051, 0064-0065, 0086, 0145). Funato does not specifically teach algorithm being associated with an application started by the mobile terminal.

In the same field of endeavor, Claude Castelluccia discloses algorithm which is associated with an application according to a communication use of the mobile terminal, and the application is started by the mobile terminal and is specified by the mobile terminal (Section 4.1-4.3). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Funato by specifically adding feature algorithm which is associated with an application according to a communication use of the mobile terminal, and the application is started by the mobile terminal and is specified by the mobile terminal in order to enhance system performance to reduces cost of wireless systems and increases their performance as taught by Claude Castelluccia.

Regarding claim 2 Funato teaches wherein the paging area forming unit is configured to form the paging area of the mobile terminal, in accordance with a load condition or traffic distribution of the controller apparatus (para. # 0083-0085).

Regarding claim 3 Funato teaches a mobile terminal configured to implement paging control in which, when a controller apparatus receives a packet addressed to the mobile terminal, the controller apparatus transmits a paging notification packet to a paging area of the mobile terminal, so as to obtain location information on the mobile

Art Unit: 2617

terminal and to determine a forwarding destination of the packet, the mobile terminal comprising (fig. 1-9 and 20, abstract):

an algorithm specifying unit configured to specify, to the controller apparatus (920, fig. 9), an algorithm for forming the paging area of the mobile terminal (mobile host MH), the algorithm being associated with an application started by the mobile terminal (para. # 0064, 0086, 0075-0077, 0111-0114, fig. 9-12); and

a paging control unit (908, fig. 20) configured to perform the paging control based on information on the paging area formed by the controller apparatus based on the algorithm (when the received paging area identification information does not match the stored paging area identification information, transmitting the Paging ID, PCA NAI and the location information to a new access point. Dynamic paging area configuration algorithm, PCA 920 operates to receive movement reports from mobility reporter agents of mobile hosts in communication with last hop router 904, 906. A PCA is notified by a dormant monitoring agent (DMA) of a packet arrival to a mobile host and sends paging clustering messages to the local paging agent (LPA) clusters. Once the PCA 920 receives positive or negative results from LPA clusters, the PCA notifies the DMA para. # 0075-0076, 0086-0090, 0111-0114, fig. 9-12). Funato does not specifically teach algorithm being associated with an application started by the mobile terminal.

In the same field of endeavor, Claude Castelluccia discloses algorithm which is associated with an application according to a communication use of the mobile terminal, and the application is started by the mobile terminal and is specified by the mobile terminal (Section 4.1-4.3). Therefore, it would have been obvious to one of

Art Unit: 2617

ordinary skill in the art at the time the invention was made to modify the device of Funato by specifically adding feature algorithm which is associated with an application according to a communication use of the mobile terminal, and the application is started by the mobile terminal and is specified by the mobile terminal in order to enhance system performance to reduces cost of wireless systems and increases their performance as taught by Claude Castelluccia.

Regarding claim 4 Funato teaches a processing language specifying unit configured to specify, to the controller apparatus, a processing language in which an algorithm for forming the paging area is written; wherein the algorithm specifying unit is configured to specify the algorithm written in the processing language when a result of determination that the processing language can be handled is received from the controller apparatus (para. # 0051, 0073-0074, 0082, see above).

Regarding claim 5 Funato teaches a controller apparatus configured to implement paging control in which, when the controller apparatus receives a packet addressed to a mobile terminal, the controller apparatus transmits a paging notification packet to a paging area of the mobile terminal, so as to obtain location information on the mobile terminal and to determine a forwarding destination of the packet, the controller apparatus comprising:

an algorithm specifying unit configured to specify, to the mobile terminal, identification information of an algorithm stored in the mobile terminal for the mobile terminal to user in forming the paging area of the mobile terminal (para. # 0064, 0086, 0145, fig. 9-12 and 20, see detail in claim 1); and

a paging control unit configured to perform the paging control based on the paging area formed by the mobile terminal based on the algorithm (dynamic paging area configuration algorithm, PCA 920 operates to receive movement reports from mobility reporter agents of mobile hosts in communication with last hop router 904, 906. A PCA is notified by a dormant monitoring agent (DMA) of a packet arrival to a mobile host and sends paging clustering messages to the local paging agent (LPA) clusters. Once the PCA 920 receives positive or negative results from LPA clusters, the PCA notifies the DMA para. # 0064-0070, 0086-0090, 0111-0114, fig. 9-12). Funato does not specifically teach algorithm being associated with an application started by the mobile terminal.

In the same field of endeavor, Claude Castelluccia discloses algorithm which is associated with an application according to a communication use of the mobile terminal, and the application is started by the mobile terminal and is specified by the mobile terminal (Section 4.2-4.3). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Funato by specifically adding feature algorithm which is associated with an application according to a communication use of the mobile terminal, and the application is started by the mobile terminal and is specified by the mobile terminal in order to enhance system performance to reduces cost of wireless systems and increases their performance as taught by Claude Castelluccia.

Regarding claim 6 Funato teaches a processing language specifying unit configured to specify, to the mobile terminal, a processing language in which an algorithm for forming the paging area is written; wherein the algorithm specifying unit is

Art Unit: 2617

configured to specify the algorithm written in the processing language when a result of determination that the processing language can be handled is received from the mobile terminal (para. # 0064, 0083-0086, 0145, fig. 9 and 20).

Regarding claim 7 Funato teaches a mobile terminal configured to implement paging control in which, when a controller apparatus receives a packet addressed to a mobile terminal, the controller apparatus transmits a paging notification packet to a paging area of the mobile terminal, so as to obtain location information on the mobile terminal and to determine a forwarding destination of the packet, the mobile terminal comprising:

a paging area forming unit associating and storing an identification information of an application and an identification information of an algorithm for forming the paging area (para. # 0064, 0086, 0145, fig. 9 and 20);

wherein the paging area forming unit is configured to form the paging area of the mobile terminal by an algorithm specified by the controller apparatus which corresponds to the identification information of the algorithm associated with the identification information of the application started by the mobile terminal (dynamic paging area configuration algorithm, PCA 920 operates to receive movement reports from mobility reporter agents of mobile hosts in communication with last hop router 904, 906. A PCA is notified by a dormant monitoring agent (DMA) of a packet arrival to a mobile host and sends paging clustering messages to the local paging agent (LPA) clusters. Once the PCA 920 receives positive or negative results from LPA clusters, the PCA notifies the DMA para.

Art Unit: 2617

0064-0070, 0086-0090, 0111-0114, fig. 9-12 and 20). Funato does not specifically teach algorithm being associated with an application started by the mobile terminal.

In the same field of endeavor, Claude Castelluccia discloses algorithm which is associated with an application according to a communication use of the mobile terminal, and the application is started by the mobile terminal and is specified by the mobile terminal (Section 4.1-4.3). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Funato by specifically adding feature algorithm which is associated with an application according to a communication use of the mobile terminal, and the application is started by the mobile terminal and is specified by the mobile terminal in order to enhance system performance to reduces cost of wireless systems and increases their performance as taught by Claude Castelluccia.

Regarding claim 8 Funato teaches wherein the paging area forming unit is configured to form the paging area of the mobile terminal, in accordance with a communicating use or movement characteristics of the mobile terminal (para. # 0064, 0083-0086, 0145).

Regarding claim 9 Funato teaches a mobile terminal configured to implement paging control in which, when a controller apparatus receives a packet addressed to a mobile terminal, the controller apparatus transmits a paging notification packet to a paging area of the mobile terminal, so as to obtain location information on the mobile terminal and to determine a forwarding destination of the packet, the mobile terminal comprising:

Art Unit: 2617

a paging area forming unit associating and storing an identification information of an application and an identification information of an algorithm for forming the paging area; and a transmitting unit configured to transmit, to the controller apparatus, information on the paging area formed by the paging area forming unit (para. # 0064-0069, 0083-0086, 0145, fig. 9 and 20);

wherein the paging area forming unit forms a paging area of the mobile terminal based on an algorithm corresponding to the identification information of the algorithm associated with the identification information of the application started by the mobile terminal, and wherein, when information on the paging area different from the information on the paging area formed by the paging area forming unit is received from the controller apparatus, the transmitting unit is configured to transmit, to a different controller apparatus, the information on the paging area formed by the paging area forming unit (dynamic paging area configuration algorithm, PCA 920 operates to receive movement reports from mobility reporter agents of mobile hosts in communication with last hop router 904, 906. A PCA is notified by a dormant monitoring agent (DMA) of a packet arrival to a mobile host and sends paging clustering messages to the local paging agent (LPA) clusters. Once the PCA 920 receives positive or negative results from LPA clusters, the PCA notifies the DMA para. # 0064-0070, 0086-0090, 0111-0114), fig. 9-12 and 20). Funato does not specifically teach algorithm being associated with an application started by the mobile terminal.

In the same field of endeavor, Claude Castelluccia discloses algorithm which is associated with an application according to a communication use of the mobile

Art Unit: 2617

terminal, and the application is started by the mobile terminal and is specified by the mobile terminal (Section 4.1-4.3). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Funato by specifically adding feature algorithm which is associated with an application according to a communication use of the mobile terminal, and the application is started by the mobile terminal and is specified by the mobile terminal in order to enhance system performance to reduces cost of wireless systems and increases their performance as taught by Claude Castelluccia.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KHAWAR IQBAL whose telephone number is (571)272-7909. The examiner can normally be reached on 8:30 am to 5.00 pm Monday to Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, KAMRAN AFSHAR can be reached on 571-272-7796. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2617

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/K. I./

Examiner, Art Unit 2617

/KAMRAN AFSHAR/

Supervisory Patent Examiner, Art Unit 2617